





Bofill


La tranquilidad de confiar en
quien te da seguridad

Tubería chapa galvanizada de 0,5 / 0,8 mm
Galvanized pipes of 0,5 / 0,8 mm


TUBERÍA CHAPA GALVANIZADA DE 0,5 mm
 0,5 mm GALVANIZED PIPES

Tubo / TG
 Pipe / TG


Ø	80	90	100	110	120	125	130	140	150
A	80	90	100	110	120	125	130	140	150
B	79	89	99	109	119	124	129	139	149


Tubo / TGLL
 Pipe / TGLL

Ø	80	90	100	110	120	125	130	140	150
A	80	90	100	110	120	125	130	140	150
B	79	89	99	109	119	124	129	139	149


Codos rizados / CCG 90°
 Curly elbow / CCG 90°

Ø	80	90	100	110	120	125	130	140	150
A	80	90	100	110	120	125	130	140	150
B	79	89	99	109	119	124	129	139	149
C	80	85	95	110	105	103	110	130	135
D	155	155	170	180	180	183	190	215	210






TUBERÍA CHAPA GALVANIZADA DE 0,5 mm 0,5 mm GALVANIZED PIPES


Codos rizados / CAG 72° Curly elbow / CAG 72°

Ø	80	90	100	110	120	125	130	140	150
A	80	90	100	110	120	125	130	140	150
B	79	89	99	109	119	124	129	139	149
C	61	57	61	71	67	62	78	88	100
D	151	157	165	167	171	166	175	207	203





T simple sin tapón / T 90° T-joint without plug / T 90°

Ø	100	110	120	125	130	140	150
A	100	110	120	125	130	130	150
B	266	280	280	310	310	320	320
C	80	85					
D	80	85	80	92	90	90	85



T simple con tapón / TT 90° T-joint with plug / TT 90°


Ø	100	110	120	125	130	140	150
A	100	110	120	125	130	130	150
B	213	224	227	237	247	257	267



TUBERÍA CHAPA GALVANIZADA DE 0,5 mm
 0,5 mm GALVANIZED PIPES

Tapones / TAP
Plug / TAP

Ø	80	90	100	110	120	125	130	140	150
A	81	91	101	111	121	126	131	141	151
B	90	100	110	120	130	135	140	150	160




Manguitos / MMG-MHG
Sleeve / MMG-MHG

MMG


Ø	80	90	100	110	120	125	130	140	150
A	79	89	99	109	119	124	129	139	149

MHG

Ø	80	90	100	110	120	125	130	140	150
A	80	90	100	110	120	125	130	140	150


Reducciones / RG
Reducer / RG

Ø	A	B	C	D	E
110-80	110	80	35	35	95
120-90	120	90	75	75	185
110-100	110	100	65	65	135
120-100	120	100	65	65	150
125-100	125	100	70	70	175
125-110	125	110	60	60	130
140-125	140	125	75	75	185
150-100	150	100	70	70	200
150-120	150	120	70	70	170
150-125	150	125	70	70	175
150-130	150	130	70	70	175
150-140	150	140	65	65	140





TUBERÍA ACERO INOXIDABLE


STAINLESS STEEL PIPES

Sombrete / BI

Cap / BI

Atención: Es imprescindible instalar con Brida de seguridad BRIUE
Attention: It is essential to install with Bridle of security BRIUE


Ø	100	110	120	125	130	150	175	180	200	250	300
A	99	109	119	124	129	149	174	179	199	249	299
B	175	180	183	183	183	205	225	225	240	265	300
C	195	215	245	245	245	300	350	350	400	500	600
D	117	122	125	125	125	147	167	167	182	207	242



Sombrete / BEXI

Cap / BEXI

	A		B	C
	Min.	Max.		
BEXI nº 1	80	100	200	180
BEXI nº 2	110	130	245	195
BEXI nº 3	140	160	300	200
BEXI nº 4	175	200	350	210




Sombrete / SA

Cap / SA

Atención: Es imprescindible instalar con Brida de seguridad BRIUE
Attention: It is essential to install with Bridle of security BRIUE


Ø	80	100	110	120	125	130	140	150	160	175	180	200	250	300
A	79	99	109	119	124	129	139	149	159	174	179	199	249	299
B	120	130	130	140	140	150	150	160	160	160	180	190	220	250
C	04												05	
D	180	200	210	220	220	230	240	250	260	260	280	300	400	450




TUBERÍA CHAPA GALVANIZADA DE 0,8 mm
 0,8 mm GALVANIZED PIPES

Tubo / TG08
Smooth pipes / TG08


Ø	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
A	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
B	119	124	129	139	149	159	174	179	199	249	299	349	399	449	499	559	599	649	699
C	935										930								


Codo rizado / C30° 120-200
Curly elbow / C30° 120-200

Ø	120	125	130	140	150	160	175	180	200
A	120	125	130	140	150	160	175	180	200
B	119	124	129	139	149	159	174	179	199
C	43	55	75	71	72	64	81	82	91
D	128	130	161	155	159	147	192	154	208


Codo rizado / C45° 80-200
Curly elbow / C45° 80-200

Ø	120	125	130	140	150	160	175	180	200
A	120	125	130	140	150	160	175	180	200
B	119	124	129	139	149	159	174	179	199
C	33	44	65	61	62	54	71	72	81
D	163	165	196	190	194	182	227	229	243





TUBERÍA CHAPA GALVANIZADA DE 0,8 mm

0,8 mm GALVANIZED PIPES

Codo rizado / **C60°** 120-200

Curly elbow / C60° 120-200


Ø	120	125	130	140	150	160	175	180	200
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

A	120	125	130	140	150	160	175	180	200
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

B	119	124	129	139	149	159	174	179	199
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

C	17	20	41	38	41	32	48	49	58
---	----	----	----	----	----	----	----	----	----

D	123	125	156	150	144	142	187	189	203
---	-----	-----	-----	-----	-----	-----	-----	-----	-----



Codo rizado / **C90°** 120-200

Curly elbow / C90° 120-200


Ø	120	125	130	140	150	160	175	180	200
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

A	120	125	130	140	150	160	175	180	200
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

B	119	124	129	139	149	159	174	179	199
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

C	130	142	155	160	165	175	192	205	210
---	-----	-----	-----	-----	-----	-----	-----	-----	-----

D	185	203	200	220	205	215	247	255	255
---	-----	-----	-----	-----	-----	-----	-----	-----	-----



Codo segmento / **C30°** 250-700

Fragmented elbow / C30° 250-700


Ø	250	300	350	400	450	500	550	600	650	700
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

A	250	300	350	400	450	500	550	600	650	700
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

B	249	299	349	399	449	499	549	599	649	699
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

C	32	38	45	54	61	68	71	78	84	91
---	----	----	----	----	----	----	----	----	----	----


D	171	191	216	246	276	301	318	342	367	392
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




TUBERÍA CHAPA GALVANIZADA DE 0,8 mm
 0,8 mm GALVANIZED PIPES

Codo segmento / C45° 250-700
Fragmented elbow / C45° 250-700


Ø	250	300	350	400	450	500	550	600	650	700
A	250	300	350	400	450	500	550	600	650	700
B	249	299	349	399	449	499	549	599	649	699
C	66	90	96	118	133	154	165	179	194	209
D	198	246	275	328	363	416	451	485	521	555


Codo segmento / C60° 250-700
Fragmented elbow / C60° 250-700

Ø	250	300	350	400	450	500	550	600	650	700
A	250	300	350	400	450	500	550	600	650	700
B	249	299	349	399	449	499	549	599	649	699
C	112	124	150	178	192	213	236	256	280	305
D	242	273	317	362	391	429	469	503	547	590


Codo segmento / C90° 250-700
Fragmented elbow / C90° 250-700

Ø	250	300	350	400	450	500	550	600	650	700
A	250	300	350	400	450	500	550	600	650	700
B	249	299	349	399	449	499	549	599	649	699
C	195	270	322	376	440	508	498	536	611	660
D	241	312	368	419	487	541	556	605	663	710




TUBERÍA CHAPA GALVANIZADA DE 0,8 mm

0,8 mm GALVANIZED PIPES

T simple sin tapón / TS90°

T section without plug / TS90°


Ø	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
A	120	125	130	130	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
B	280	310	310	320	320	330	345	350	370	420	470	520	570	620	670	720	770	820	870
C	85																		
D	80	92	90	85															



T simple con tapón / TTS90°

T section with plug / TTS90°


Ø	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
A	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
B	236	237	247	257	267	277	292	302	318	368	427	463	533	573	613	660	710	760	810



T simple con tapón / TTS45°

T section with plug / TTS45°

Ø	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
A	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500	550	600	650	700
B	283	292	299	313	327	337	377	369	397	467	537	603	673	744	813	892	962	1033	1104
C	209	214	215	215	233	243	262	267	288	337	387	415	480	530	579	629	647	729	779



TUBERÍA CHAPA GALVANIZADA DE 0,8 mm
 0,8 mm GALVANIZED PIPES

Sombrete / SBI
Cap / SBI


Ø	200	250	300	350	400	450	500
---	-----	-----	-----	-----	-----	-----	-----

A	200	250	300	350	400	450	500
---	-----	-----	-----	-----	-----	-----	-----


B	125	120					
---	-----	-----	--	--	--	--	--

C	400	500	600	700	800	800	950
---	-----	-----	-----	-----	-----	-----	-----

D	273	315	334	349	392	425	442
---	-----	-----	-----	-----	-----	-----	-----


Sombrerete regulable / BEXI
Cap with weather vane / BEXI


	A		B	C
	Min.	Max.		
BEXI nº 1	80	100	200	180
BEXI nº 2	110	130	245	195
BEXI nº 3	140	160	300	200
BEXI nº 4	175	200	350	210


Final Cónico / FCG 550-700
Conical End / FCG 550-700

Ø	550	600	650	700
---	-----	-----	-----	-----

A	550	600	650	700
---	-----	-----	-----	-----

B	650	700	750	800
---	-----	-----	-----	-----




TUBERÍA CHAPA GALVANIZADA DE 0,8 mm

0,8 mm GALVANIZED PIPES

Registro / REG

Handhole / REG

Ø	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500
A	120	125	130	140	150	160	175	180	200	250	300	350	400	450	500
B	200					300			360 450 500 550 600 650						
C	180							210	250		300		350		



Reducciones / RG

Reducer / RG

Ø	A	B	C	D	E
150-100	150	100	70	70	200
150-120	150	120	70	70	170
150-125	150	125	70	70	175
150-130	150	130	70	70	175
150-140	150	140	65	65	140
175-150	175	150	70	70	175
180-150	180	150	70	70	180
200-150	200	150	70	70	200
200-175	200	175	70	70	175
200-180	200	180	70	70	180
250-200	250	200	70	70	200
300-200	300	200	70	70	250
300-250	300	250	70	70	200
350-250	350	250	70	70	250

